

Suspensions

Based on: DGUV Regulation 17, DGUV Information 215-310

If you bring in objects that have to be mounted overhead, they must be secured with a fall arrest system in compliance with German regulations.

- With thimbles on both ends.
- No kinks, cracks, etc.
- Emergency chain with screw fastener



Lamps on partially mounted conductor rails must also be secured with a fall arrest system wherever possible. In the case of a non-bolted suspension, the conductor rail must also be secured against falling. Generally, lamps should be fixed using suitable fixings (e.g. collars, clips, screw joints).



Electrical Safety

Based on: DGUV regulation A3, product safety law, VDE guidelines

If you attach electrical equipment such as lamps to conductive components, these must be earthed with equipotential bonding.



Mobile electrical equipment must be connected to suitable and correctly dimensioned feeder and residual current circuit breakers.



Only use devices that have been tested and labelled accordingly – especially with a valid test in compliance with DGUVV A3 and a CE label.






Stand Construction / Stand Safety

Based on: DGUV Regulation 17, DGUV Information 215-310

The stand as well as free-standing exhibits must be secured against falling over or being knocked over. The stand construction and materials used must comply with fire protection class B1 as a minimum. Building across escape and rescue routes is strictly prohibited. Please do not store any materials on, next to or behind the stand that exceed the daily requirements. The signage for escape routes, fire extinguishers, wall hydrants, etc. must not be impaired in their function in any way by the stand construction. Any assembly aids used must be removed after assembly.



Fire Protection

Based: DGUV Information 215-316, HvstättR, DIN EN 4102

If you bring special fire loads, especially highly flammable liquids (solvents, ethanol, etc.) or devices with an increased fire risk (open fire, soldering irons, deep fryers, etc.), please have suitable extinguishing agents available. Floor or wall coverings, tablecloths, etc. must fall within fire protection class B1 (hardly inflammable) or comply with EN standard 13501-1. Please keep corresponding proof at hand or send it to us in advance.

| | | | | |
|------|--------------------|--------------------------------|---|---|
| B1*) | hardly inflammable | B - s1, d0 oder C - s1, d0 | X | X |
| | | A 2 - s2, d0 oder A 2 - s3, d0 | | X |
| | | B - s2, d0 oder B - s3, d0 | | X |
| | | C - s2, d0 oder C - s3, d0 | | X |